

T6N

R2E



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Jackson County are stored on microfilm Reel 7545 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.


The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor





**Township N. VI North of the Base Line, Range N. II East of the 2<sup>nd</sup> Meridian — Surveyed by Arthur Henrie. 1854.**

*Description of the Soil on the interior Sectional lines.*

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
35.36	Land rich & rolling - Timber Sugar, Beech, Oak &c.	35.36	Land rolling - Timber Oak, Beech, Poplar & Hickory	31.32	Land rolling - Timber Beech, Poplar, Sugar &c.
25.36	ditto	27.34	ditto	29.32	ditto
25.36	ditto	27.34	ditto	29.32	ditto
24.25	ditto	22.27	ditto	20.20	Land very hilly - Hominy Oak & Hickory
22.24	Land level - Timber same	21.22	ditto	17.20	ditto
13.24	ditto	15.21	ditto	14.18	ditto
13.14	Land very hilly - thin Soil	15.16	Land very hilly - thin Soil	8.17	ditto
12.13	ditto	10.15	ditto - Timber Oak & Hickory	7.8	ditto
11.12	Land very hilly - Timber same - Hanging Oak & Hickory	9.10	ditto	5.8	Land the same covered with green briars
1.12	Land the same - very hilly	3.10	ditto	5.6	Land the same very hilly - bushy & covered with green briars
1.12	ditto	3.14	ditto	6.7	Land hilly & bushy covered with green briars
24.25	Land rolling - Timber Beech, Oak & Hickory	32.33	Land rich - Timber Beech &c.	7.18	ditto
26.35	ditto	28.33	Land rich - Timber Oak, Beech, Poplar, Oak &c.	7.18	ditto
26.27	ditto	21.25	Land hilly - Timber Beech, Oak & Hickory	19.20	ditto
25.26	ditto	20.21	ditto - Timber Oak & Hickory	30.31	ditto
22.23	Land rolling - Timber Beech, Poplar &c.	16.21	ditto		
14.23	ditto	16.17	Land very hilly - thin Soil - Timber same		
14.15	Land very hilly & very bushy	9.16	ditto		
11.14	ditto	8.9	ditto		
10.11	Land very hilly - thin Soil	4.9	ditto		
2.11	ditto	4.5	ditto		
2.3	ditto				



# Township N. 6 North, Range N. 2 East 2<sup>nd</sup> Mer.

## Range line - Var. 7<sup>th</sup> E.

North Between Ranges 2 & 3 Township 6 East

On the East Side of Sec. 36

7.20 A. Brook 20 in. diam.

16.40 A. Brook 10 lbs West

40.00 gr. Sec. corner Sugar 12 S 61 N 22

Ironwood 6 S 41 E 21

69.30 A. Sugar 20 in. diam.

76.00 A. Brook 8 lbs West

80.00 Set post corner of Sec. 25 & 36

Beech 15 S 11 N 32

do 15 S 24 N 12

Small Rolling. Beech Sugar & Paper

North On the East Side of Sec. 25

30.50 A. Brook 12 lbs West

40.00 gr. Sec. corner Beech 10 S 58 E 13

Logwood 5 S 66 N 20

80.00 Set post corner to Sec. 24 & 25

Beech 15 S 9 N 20

do 15 S 40 N 12

Good farming land. Timber same

North On the East Side of Sec. 24

40.00 gr. Sec. corner Beech 12 S 1 E 41

Logwood 6 S 58 N 13

80.00 Set post corner to Sec. 12 & 24

W. Oak 6 S 28 N 2

Logwood 6 S 48 E 2

Small Rolling. Oak & Hickory

North On the East Side of Sec. 13

39.00 A. Brook 10 lbs S. E

40.00 gr. Sec. corner Sugar 10 S 25 N 48

do 6 S 63 E 32

80.00 Set post corner to Sec. 12 & 13

Quercus 12 S 9 E 32

W. Oak 8 S 9 N 54

Very high hills to S. then Oak & Hickory

North On the East Side of Sec. 12

40.00 gr. Sec. corner B. Oak 6 S 41 E 21

do 8 S 23 E 10

80.00 Set post corner to Sec. 1 & 12

Sugar 12 S 4 N 30

Beech 10 S 66 E 11

Small the same

North On the East Side of Sec. 1

16.60 A. Brook 18 lbs S. E

40.00 gr. Sec. corner Hickory 10 S 1 E 37

80.00 Set temporary post at the exact distance

of 6 miles from the South Boundary

86.00 Intersected E & W line and set post

corner of Towns 6 & 7 N Range

2 & 3 E. Beech 16 S 13 W 26

W. Oak 16 S 53 W 51

Very hilly & brushy land, thin soil

Arthur Murrie D.S.

## Township line - Var. 6<sup>th</sup> 20

### Random -

West Between Towns 5 & 6 Range 2 East

40.00 Temporary gr. Sec. post

80.00 Set temporary mile post

Small Rolling. Timber. Beech. Paper & W.

West Random line continued

40.00 Temporary gr. Sec. post

65.00 A. Brook 20 lbs S. W

80.00 Set temporary mile post

Small Hilly & brushy. Timber same

West Random line continued

12.00 A. Brook 25 lbs S. W

39.50 Same S. W

40.00 Temporary gr. Sec. post

66.30 A. Brook 12 lbs at the bottom of which is Logstone

80.00 Temporary mile post

Small the same

West Random line continued

40.00 Temporary gr. Sec. post

80.00 Temporary mile post

Small good for farming. Beech. Sugar. Oak & W.

West Random line continued

40.00 Temporary gr. Sec. post

80.00 Temporary mile post

Small the same

West Random line continued

26.00 A. Brook 12 lbs South

40.00 Temporary gr. Sec. post

63.57 Set South of Town corner

Small Rich. timber Sugar. Beech & W.

True line Var. 6<sup>th</sup> 20

East Between Towns 5 & 6 Range 2 East on true line

63.57 gr. Sec. corner Beech 8 S 39 N 6

do 8 S 69 N 36

63.57 Set post corner to Sec. 31 & 32

Ironwood 6 S 83 E 13

Logwood 8 S 44 N 5

East True line continued

40.00 gr. Sec. corner Sugar 8 S 80 E 27

Beech 12 S 47 N 8

80.00 Set post corner to Sec. 32 & 33

Beech 12 S 41 E 27

do 12 S 11 E 4

East True line continued

40.00 gr. Sec. corner W. Walnut 10 S 2 E 9

Sugar 20 S 39 E 19

80.00 Set post corner of Sec. 34 & 35

Beech 20 S 59 E 14

do 11 S 18 N 24

East True line line continued

40.00 gr. Sec. corner Beech 12 S 28 N 12

do - 94 N 34

80.00 Set post corner to Sec. 35 & 36

Logwood 6 S 12 N 21

Ironwood 6 S 80 N 20

East True line continued

40.00 gr. Sec. corner Beech 10 S 11 N 20

do 10 S 2 E 32

80.00 Town corner

Arthur Murrie D.S.

Subdivisions of Town 6 S. 2 East

North Between Sec. 35 & 36

26.50 A. Brook 10 lbs West

40.00 gr. Sec. corner Sugar 20 S 4 N 14

Beech 18 S 60 E 6

80.00 Set post corner to Sec. 25, 26, 35 & 36

Beech 20 S 6 N 33

Logwood 6 S 77 E 3

Small Rich & Rolling. Sugar. Beech & W.

East Between Sec. 25 & 36 on Random

40.00 Temporary gr. Sec. post

80.10 Intersected N & S line 12 lbs S. of corner

Small the same

West Corrected

40.05 gr. Sec. corner Beech 12 S 47 N 10

do 24 S 56 E 27

80.10 Town corner

North Between Sec. 25 & 26

1.50 A. Brook 15 lbs West

19.00 A. Brook 20 lbs S. W

40.00 gr. Sec. corner Beech 10 S 10 E 16

Sugar 20 S 23 N 11

80.00 Set post corner to Sec. 23, 24, 25, 26

Beech 10 S 46 E 5

do 24 S 55 N 44

Small the same



East	Between Secs 24 & 25 On Random	West	Corrected Between Secs 12 & 13 on true line
40.00	Temporary of Sec. post	39.77	of Sec. corner Maple 12 West 50-
80.04	Intersected N & S line 12ths S. of corner		No other tree
	Land Rich & Rolling Sugar Beech Ash	79.78	Section corner
West	Corrected	North	Between Secs 11 & 12
40.02	of Sec. corner Sugar 12 S 20 E 5	40.00	of Sec. corner B. Oak 10 S 39 W 20
	Beech 10 S 20 W 40		Michery 8 S 55 E 5
80.04	Section corner	80.00	Set post corner to Secs 1. 2. 11. 12
North	Between Secs 23 & 24		B. Oak 12 S 36 E 15
34.30	N. Oak 20 in diam.		do 6 S 36 W 12
40.00	of Sec. corner Beech 20 S 65 W 12		Land very hilly timber same under growth Oak Hickory
	Dogwood 6 S 50 E 12		March 21 <sup>st</sup> 1814
80.00	Set post corner to Secs 14. 15. 23. 24	North	Between Secs 34 & 35
	Beech 10 S 6 E 33	40.00	of Sec. corner Sassafras 10 S 86 W 5
	do 6 S 12 W 10		do 10 S 75 E 12
	Land level timber the same	45.00	N. Beech 8 lbs S. W
East	Between Secs 13 & 14 On Random	80.00	Set post corner to Secs 26. 27. 34. 35
40.00	Temporary of Sec. post		Beech 12 S 70 W 17
79.88	Intersected N & S line 14ths S. of corner		do 12 S 28 E 20
	Land the same		Land Rolling Beech Oak & Michery
West	Corrected	East	Between Secs 26 & 35 On Random
39.94	of Sec. corner Maple 10 S 18 W 6	40.00	Temporary of Sec. post
	Beech 8 S 23 W 5	75.00	N. Beech 12 lbs S. W
79.88	Section corner	80.12	Intersected N & S line 8 lbs S. of corner
North	Between Secs 13 & 14		Land the same
40.00	of Sec. corner Maple 10 S 19 W 6	West	Corrected
	Beech 10 S 36 W 30	40.06	of Sec. corner Beech 8 West 1
56.00	N. Beech 5 lbs S. E		No other tree
80.00	Set post corner to Secs 11. 12. 13. 14	80.12	Section corner
	B. Oak 10 S 9 W 30	North	Between Secs 26 & 27
	Michery 6 S 10 E 42	40.00	of Sec. corner Beech 10 S 28 W 14
	Land very hilly thin soil		do 20 S 30 E 25
East	Between Secs 12 & 13 On Random	80.00	Set post corner to Secs 22. 23. 26. 27
40.00	Temporary of Sec. post		Maple 16 S 18 W 14
79.98	Intersected N & S line 10 lbs S. of corner		Poplar 40 S 25 E 25
	Land the same		Land the same

East	Between Secs 23 & 26 On Random	East	Between Secs 40 & 44 On Random
20.00	N. Beech 12 lbs S. W	40.00	Temporary of Sec. post
40.00	Temporary of Sec. post	80.08	Intersected N & S line 10 lbs S. of corner
79.92	Intersected N & S line 18 lbs S. of corner		Land the same
	Land the same	West	Corrected
West	Corrected	40.04	of Sec. corner N. Oak 18 S 84 E 28
39.96	of Sec. corner Beech 20 East 10		Beech 12 S 61 W 25
	No other tree	80.08	Section corner
79.92	Section corner	North	Between Secs 10 & 11
North	Between Secs 22 & 23	40.00	of Sec. corner Dogwood 6 S 50 W 12
40.00	of Sec. corner Beech 6 S 20 W 30		Juniper 6 S 87 E 20
	do 10 S 42 E 28	80.00	Set post corner to Secs 2. 3. 10. 11
40.00	N. Beech 12 lbs S. W		Beech 8 S 14 W 18
79.00	N. Beech 10 lbs S. W		do 8 S 50 W 10
80.00	Set post corner to Secs 14. 15. 22. 23		Land very hilly thin soil
	Dogwood 6 S 21 W 22	East	Between Secs 20 & 21 On Random
	Beech 20 S 44 W 21	40.00	Temporary of Sec. post
	Land Rolling Beech Poplar &	80.06	Intersected N & S line 14 lbs S. of corner
East	Between Secs 14 & 23 On Random		Land the same
40.00	Temporary of Sec. post	West	Corrected
80.00	Intersected N & S line 8 lbs S. of corner	40.03	of Sec. corner Beech 10 S 73 W 24
	Land the same		N. Oak 20 S 63 E 25
West	Corrected	80.06	Section corner
40.04	of Sec. corner Beech 10 S 65 W 79	North	Between Secs 2 & 3
	do 20 S 65 E 5	31.00	N. Beech 10 lbs S. E
80.08	Section corner	40.00	of Sec. corner Beech 10 S 78 W 16
North	Between Secs 14 & 15		N. Oak 12 S 87 W 16
40.00	of Sec. corner Sugar 10 S 42 W 8	62.50	N. Beech 12 lbs S. E
	do 10 S 50 E 30	87.50	Set post cor. to Secs 2 & 3 on North Boundary
80.00	Set post corner to Secs 10. 11. 14. 15		2.25 lbs East of Sec. corner
	Beech 10 S 71 E 5		Beech 20 S 34 E 12
	do 10 S 8 E 30		do 20 S 28 E 15
	Land very hilly & very brushy		Land hilly thin soil
			March 22 <sup>nd</sup> 1814



North Between Secs 33 & 34  
 17.00 H. Brook 10 lbs S. E  
 40.00 gr. Sec. corner Beech 10 S 34 N 27  
 do 10 S 48 E 31  
 80.00 Set post corner of Secs 27, 28, 33, 34  
 Beech 20 S 15 E 45  
 do 10 S 1 N 28  
 Land Rolling, Oak, Beech, Poplar & Hickory  
 East Between Secs 27 & 34 On Railroad  
 40.00 Temporary gr. Sec. post  
 52.50 H. Brook 40 lbs S. W  
 80.08 Intersected N & S line 18 lbs S. of corner  
 Land the same  
 West Corrected  
 40.04 gr. Sec. corner Beech 20 S 33 N 47  
 do 12 S 36 E 20  
 80.08 Section corner  
 North Between Secs 27 & 28  
 12.00 H. Brook 20 in. diam.  
 40.00 gr. Sec. corner Beech 10 S 45 N 11  
 do 10 S 69 E 16  
 80.00 Set post corner to Secs 21, 22, 27, 28  
 Sugar 8 S 4 N 19  
 Beech 12 S 3 N 25  
 Land the same  
 East Between Secs 22 & 27 On Railroad  
 40.00 Temporary gr. Sec. corner  
 55.00 H. Brook 12 lbs S. W  
 80.10 Intersected N & S line 10 lbs S. of corner  
 Land the same  
 West Corrected  
 40.05 gr. Sec. corner Beech 6 S 39 E 4  
 do 6 S 49 N 19  
 80.10 Section corner

North Between Secs 21 & 22  
 5.00 H. Brook 12 lbs S. E at three forks  
 40.00 gr. Sec. corner B. Oak 20 S 10 S 38  
 Dogwood 6 S 45 E 10  
 80.00 Set post corner to Secs 15, 16, 21, 22  
 Dogwood 6 S 4 E 2  
 Beech 20 S 28 E 34  
 Land the same  
 East Between Secs 15 & 22 On Railroad  
 40.00 Temporary gr. Sec. post  
 79.94 Intersected N & S line 12 lbs S. of corner  
 Land the same  
 West Corrected  
 39.97 gr. Sec. corner B. Oak 20 S 4 E 16  
 Beech 6 S 15 E 7  
 79.94 Section corner  
 North Between Secs 15 & 16  
 3.20 H. W. Oak 20 in. diam.  
 5.00 H. Brook 10 lbs S. W  
 12.00 H. Brook 12 lbs S. W  
 40.00 gr. Sec. corner W. Oak 6 S 29 N 6  
 Sycamore 6 S 62 E 9  
 53.60 H. W. Oak 20 in. diam.  
 80.00 Set post corner to Secs 9, 10, 15, 16  
 W. Oak 12 S 20 N 34  
 Gum 10 S 12 E 25  
 Land very rich thin soil  
 East Between Secs 10 & 15 On Railroad  
 40.00 Temporary gr. Sec. post  
 80.06 Intersected N & S line 12 lbs S. of corner  
 Land the same thin soil Oak & Hickory  
 West Corrected  
 40.03 gr. Sec. corner B. Oak 6 West 6  
 Beech 5 S 5 N 4  
 80.06 Section corner

North Between Secs 9 & 10  
 40.00 gr. Sec. corner B. Oak 20 S 3 N 24  
 W. Oak 12 S 42 E 22  
 52.00 H. Brook 10 lbs S. W  
 80.00 Set post corner to Secs 3, 4, 9, 10  
 B. Oak 10 S 35 N 16  
 Gum 12 S 62 E 21  
 Land the same  
 East Between Secs 3 & 10 On Railroad  
 40.00 Temporary gr. Sec. post  
 79.96 Intersected N & S line 12 lbs S. of corner  
 Land the same  
 West Corrected  
 39.98 gr. Sec. corner W. Oak 20 S 82 E 26  
 do 20 S 85 N 17  
 79.96 Section corner  
 North Between Secs 3 & 4  
 40.00 gr. Sec. corner B. Oak 12 S 30 E 15  
 do 10 S 65 N 9  
 88.50 Set post on N. Boundary 3.25 lbs S. of corner  
 W. Oak 20 S 30 E 20  
 B. Oak 6 S 88 N 32  
 Land the same March 28, 1814  
 North Between Secs 32 & 33  
 40.00 Set gr. Sec. corner Hickory 10 S 56 N 11  
 Sugar 6 S 15 N 5  
 80.00 Set post corner to Secs 28, 29, 32, 33  
 Beech 2 S 87 N 25  
 do 6 S 5 E 11  
 Land Rich, Timber Beech & Hickory  
 East Between Secs 28 & 33 On Railroad  
 40.00 Temporary gr. Sec. post  
 79.89 Intersected N & S line 14 lbs S. of Sec. corner  
 Land Rich, Oak, Beech, Poplar & Hickory

West Corrected Between Secs 28 & 33  
 39.94 gr. Sec. corner Beech 12 S 10 N 8  
 do 30 S 58 E 25  
 79.89 Section corner  
 North Between Secs 28 & 29  
 40.00 gr. Sec. corner Poplar 12 S 43 N 7  
 Sugar 10 S 50 E 25  
 80.08 Set post corner to Secs 20, 21, 28, 29  
 Beech 6 S 13 N 9  
 do 20 East 17  
 Land Rich, Oak, Beech, Poplar & Hickory  
 East Between Secs 21 & 28 On Railroad  
 40.08 Temporary gr. Sec. post  
 80.10 Intersected N & S line 30 lbs S. of post  
 Land with timber Beech, Oak & Hickory  
 West Corrected  
 40.05 gr. Sec. corner W. Oak 20 West 50  
 no other trees  
 80.10 Section corner  
 North Between Secs 20 & 21  
 40.00 gr. Sec. corner Beech 8 S 8 E 38  
 do 18 S 30 E 9  
 80.00 Set post corner to Secs 16, 17, 20, 21  
 W. Oak 24 S 10 E 16  
 do 10 S 29 N 15  
 Land with timber Oak & Hickory  
 East Between Secs 16 & 21 On Railroad  
 40.00 Temporary gr. Sec. post  
 80.04 Intersected N & S line 18 lbs S. of corner  
 Land the same  
 West Corrected  
 40.00 gr. Sec. corner W. Oak 20 S 47 N 10  
 Beech 8 S 60 E 5  
 80.00 Section corner



North	Between Sec <sup>s</sup> 33 & 34	North	Between Sec <sup>s</sup> 21 & 22
14.00	A. Brook 10 lbs S. E	5.00	A. Brook 12 lbs S. E. at three forks
40.00	gr. Sec. corner Beech 10 S 34 N 27 do 10 S 68 E 31	40.00	gr. Sec. corner B. Oak 20 S 10 E 38 Dogwood 6 S 45 E 10
80.00	Set post corner of Sec <sup>s</sup> 27, 28, 33, 34 Beech 20 S 15 E 45 do 10 S 1 N 28	80.00	Set post corner to Sec <sup>s</sup> 15, 16, 21, 22 Dogwood 6 S 4 E 2 Beech 20 S 28 E 34
Land Rolling, Oak, Beech, Poplar Hickory		Land the same	
East	Between Sec <sup>s</sup> 27 & 34 On Random	East	Between Sec <sup>s</sup> 15 & 22 On Random
40.00	Temporary gr. Sec. post	40.00	Temporary gr. Sec. post
52.50	A. Brook 40 lbs S. W	79.94	Intersected N & S line 12 lbs S. of corner
80.08	Intersected N & S line 18 lbs S. of corner	Land the same	
Land the same		West	Corrected
West	Corrected	39.77	gr. Sec. corner B. Oak 20 S 4 E 16 Beech 6 S 15 E 7
40.04	gr. Sec. corner Beech 20 S 83 N 47 do 12 S 56 E 20	79.94	Section corner
80.08	Section corner	North	Between Sec <sup>s</sup> 15 & 16
North	Between Sec <sup>s</sup> 27 & 28	3.20	A. N. Oak 20 in. diam.
12.00	A. Beech 20 in. diam.	5.00	A. Brook 10 lbs S. W
40.00	gr. Sec. corner Beech 10 S 45 N 11 do 10 S 67 E 16	12.00	A. Brook 12 lbs S. W
80.00	Set post corner to Sec <sup>s</sup> 21, 22, 27, 28 Sugar 8 S 4 N 17 Beech 12 S 3 N 25	40.00	gr. Sec. corner N. Oak 6 S 29 N 6 Sycamore 6 S 62 E 9
Land the same		53.60	A. N. Oak 20 in. diam.
East	Between Sec <sup>s</sup> 22 & 27 On Random	80.00	Set post corner to Sec <sup>s</sup> 9, 10, 15, 16 N. Oak 12 S 20 N 34 Gum 10 S 12 E 25
40.00	Temporary gr. Sec. corner	Land very dirty thin soil	
55.00	A. Brook 12 lbs S. W	East	Between Sec <sup>s</sup> 10 & 15 On Random
80.10	Intersected N & S line 10 lbs S. of corner	40.00	Temporary gr. Sec. post
Land the same		80.06	Intersected N & S line 12 lbs S. of corner
West	Corrected	Land the same thin soil Oak & Hickory	
40.05	gr. Sec. corner Beech 6 S 39 E 4 do 6 S 49 N 79	West	Corrected
80.10	Section corner	40.03	gr. Sec. corner B. Oak 6 West 6 Beech 5 S 5 N 4
		80.06	Section corner

North	Between Sec <sup>s</sup> 9 & 10	West	Corrected Between Sec <sup>s</sup> 28 & 33
40.00	gr. Sec. corner B. Oak 20 S 3 N 24 N. Oak 12 S 42 E 22	39.94	gr. Sec. corner Beech 12 S 10 N 8 do 30 S 58 E 25
52.00	A. Brook 10 lbs S. W	79.89	Section corner
80.00	Set post corner to Sec <sup>s</sup> 3, 4, 9, 10 B. Oak 10 S 35 N 16 Gum 12 S 62 E 21	North	Between Sec <sup>s</sup> 28 & 29
Land the same		40.00	gr. Sec. corner Poplar 12 S 43 N 7 Sugar 10 S 50 E 25
East	Between Sec <sup>s</sup> 3 & 10 On Random	80.00	Set post corner to Sec <sup>s</sup> 20, 21, 28, 29 Beech 6 S 13 N 9 do 20 East 77
40.00	Temporary gr. Sec. post	Land Rich, Oak, Beech, Poplar	
79.96	Intersected N & S line 12 lbs N. of corner	East	Between Sec <sup>s</sup> 21 & 28 On Random
Land the same		40.00	Temporary gr. Sec. post
West	Corrected	80.10	Intersected N & S line 30 lbs S. of post
39.98	gr. Sec. corner N. Oak 20 S 82 E 26 do 20 S 85 N 77	Land Willy, timber Beech, Oak & Hickory	
79.96	Section corner	West	Corrected
North	Between Sec <sup>s</sup> 3 & 4	40.05	gr. Sec. corner N. Oak 20 West 50 do other trees
40.00	gr. Sec. corner B. Oak 12 S 30 E 15 do 10 S 65 N 79	80.10	Section corner
88.50	Set post on N. Boundary 3.25 lbs E. of corner N. Oak 20 S 30 E 20 B. Oak 6 S 88 N 32	North	Between Sec <sup>s</sup> 20 & 21
Land the same March 28, 1814		40.00	gr. Sec. corner Beech 8 S 8 E 38 do 18 S 30 E 9
North	Between Sec <sup>s</sup> 32 & 33	80.00	Set post corner to Sec <sup>s</sup> 16, 17, 20, 21 N. Oak 24 S 10 E 16 do 10 S 29 N 75
40.00	Set gr. Sec. corner Hickory 10 S 56 N 71 Sugar 6 S 15 N 5	Land Willy, timber Oak & Hickory	
80.00	Set post corner to Sec <sup>s</sup> 28, 29, 32, 33 Beech 2 S 87 N 25 do 6 S 85 E 10	East	Between Sec <sup>s</sup> 16 & 21 On Random
Land Rich, timber Beech		40.00	Temporary gr. Sec. post
East	Between Sec <sup>s</sup> 28 & 33 On Random	80.00	Intersected N & S line 18 lbs S. of corner
40.00	Temporary gr. Sec. post	Land the same	
79.89	Intersected N & S line 14 lbs of Sec. corner	West	Corrected
Land Rich, Oak, Beech, Poplar		40.00	gr. Sec. corner N. Oak 20 S 47 N 10 Beech 8 S 60 E 5
		80.00	Section corner



North Between Secs 16 &amp; 17

39.00 A. Brook 10 lks S.W.

40.00 gr. Sec. corner Beech 18 S 50 W 3

do 12 S 3 W 26

43.00 A. Brook 12 lks S.W.

80.00 Set post corner to Secs 8, 9, 16, 17

Beech 6 S 6 W 39

Michaux 12 S 29 E 10

Land Very Hilly, thin soil. Oak &amp; Hickory

East Between Secs 9 &amp; 16 On Random

40.00 Temporary gr. Sec. post

80.00 Intersected St &amp; S line 12 lks S. of corner

Land the same?

West Corrected

40.00 gr. Sec. corner W. Oak 6 S 49 W 9

do 6 S 12 E 11

80.00 Section corner

North Between Secs 8 &amp; 9

15.00 A. Brook 12 lks West

40.00 gr. Sec. corner W. Oak 20 S 31 W 26

Michaux 6 S 24 E 13

80.00 Set post corner of Secs 4, 5, 8, 9

W. Oak 10 S 66 E 18

W. Walnut 6 S 20 W 30

Land the same

East Between Secs 4 &amp; 9 On Random

27.00 A. Brook 12 lks S.W.

40.00 Temporary gr. Sec. post

80.50 Intersected St &amp; S line 18 lks S. of corner

Land the same?

West Corrected

40.25 gr. Sec. corner W. Oak 20 S 88 W 25

Gum 12 S 28 E 10

80.50 Section corner

North Between Secs 4 &amp; 5

40.00 gr. Sec. corner Beech 10 S 15 W 20

W. Oak 8 S 20 E 9

85.60 Set post corner of Secs 4 &amp; 5 on the North

Boundary 450 lks East of corner

W. Oak 12 S 50 E 41

do 20 S 45 E 50

Land the same - March 24<sup>th</sup> 1814

North Between Secs 31 &amp; 32

13.50 A. Brook 8 lks S.W.

22.20 A. Beech 20 ind. diam.

40.00 gr. Sec. corner Sugar 5 East 23

do 20 S 60 W 5

80.00 Set post corner of Secs 27, 30, 31, 32

Poplar 40 S 15 E 22

W. Oak 30 S 84 W 24

Land Rolling. Beech, Poplar, Sugar &amp;c.

East Between Secs 29 &amp; 32 On Random

40.00 Temporary gr. Sec. post

77.88 Intersected St &amp; S line at Section corner

Land the same?

West Corrected

39.94 gr. Sec. corner Sugar 10 West 24

Beech 6 S 60 W 11

77.88 Section corner

North Between Secs 29 &amp; 30

40.00 gr. Sec. corner Maple 12 S 16 E 11

Beech 10 S 88 E 18

48.50 A. Brook 18 lks S.W.

80.00 Set post corner to Secs 19, 20, 29, 30

Beech 20 S 18 W 34

do 12 S 54 W 32

Land the same?

East Between Secs 20 &amp; 29 On Random

20.00 A. Brook 10 lks S.W.

40.00 Temporary gr. Sec. post

80.00 Intersected St &amp; S line 12 lks S. of corner

Land the same

West Corrected

40.00 gr. Sec. corner Beech 6 corner tree

No other tree

80.00 Section corner

North Between Secs 19 &amp; 20

40.00 gr. Sec. corner W. Oak 10 S 12 E 29

Dogwood 6 S 43 E 8

80.00 Set post corner to Secs 17, 18, 19, 20

Sugar 12 S 33 W 12

W. Walnut 8 S 60 W 8

Land Very Hilly &amp; brushy. Oak &amp; Hickory

East Between Secs 17 &amp; 20 On Random

40.00 Temporary gr. Sec. post

50.00 A. Brook 12 lks North

80.00 Intersected St &amp; S line 15 lks S. of post

Land the same?

West Corrected

40.00 gr. Sec. corner Red Oak 8 S 89 W 37

W. Walnut 8 S 15 W 26

80.00 Section corner

North Between Secs 17 &amp; 18

17.75 A. Brook 40 lks West

40.00 gr. Sec. corner Beech 10 S 3 E 18

do 18 S 7 E 11

80.00 Set post corner of Secs 7, 8, 17, 18

Hickory 7 South 7

W. Oak 6 S 34 W 16

Land the same?

East Between Secs 8 &amp; 17 On Random

40.00 Temporary gr. Sec. post

67.00 A. Brook 10 lks S.W.

80.10 Intersected St &amp; S line 6 lks S. of corner

Land the same

West Corrected

40.05 gr. Sec. corner Elm 10 S 19 W 8

Beech 8 S 45 W 16

80.10 Section corner

North Between Secs 7 &amp; 8

40.00 gr. Sec. corner Hickory 20 S 20 E 29

Beech 10 S 18 W 31

40.50 A. Brook 12 lks S.W.

80.00 Set post corner of Secs 5, 6, 7, 8

Gum 12 S 6 E 50

W. Oak 12 S 30 W 21

Land the same?

East Between Secs 5 &amp; 8 On Random

36.00 A. Brook 8 lks S.W.

40.00 Temporary gr. Sec. post

78.98 Intersected St &amp; S line 30 lks S. of corner

Land the same. covered with green brush

West Corrected

39.99 gr. Sec. corner Beech 12 East 100

do 8 S 88 E 150

78.98 Section corner

North Between Secs 5 &amp; 6

12.00 A. Brook 12 lks S.W.

40.00 gr. Sec. corner W. Oak 18 S 7 E 29

do 20 S 43 E 29

83.00 Set post on the St. Boundary 7.22 lks

East of Sec. corner

W. Oak 12 S 52 E 5

W. Oak 10 S 54 W 21

Land very Hilly covered with green brush

March 25<sup>th</sup> 1814



West	Between Secs 6 & 7	64.85	Set post on N. Boundary 25 lbs S. of Corner
8.00	A. Brook 12 lbs S. W		Beech 20 ft 34 E 16
40.00	gr. Sec. Corner Hickory 6 ft 38 E 13		do 10 ft 5 1/2 W 16
	W. Oak 18 ft 42 N 34		Land Rolling. Oak. Beech. Sugar V.
48.50	A. Brook 10 lbs S. W		March 26 <sup>th</sup> 1814
70.50	Set post on the West Boundary 158 lbs	East	Between Secs 10 & 12 on Boundary
	North of Corner W. Oak 10 ft 55 E 12	40.00	Temporary gr. Sec. post
	B. Oak 10 ft 6 W 16	79.84	Intersected N. W. line 20 lbs N. of Corner
	Land Hilly & very brushy covered with Briars		Land the same very Hilly
West	Between Secs 7 & 8	West	Corrected
15.00	A. Brook 10 lbs South	39.72	gr. Sec. Corner B. Oak 6 ft West 22
40.00	gr. Sec. Corner Hickory 12 ft 81 E 25		do 20 ft 83 E 26
	W. Oak 12 ft 41 N 27	79.84	Section Corner
68.70	Set post on the West Boundary 62 lbs	North	Between Secs 10 & 12
	North of Sec. corner W. Oak 20 ft 71 E 32	7.00	A. Brook 10 lbs N. E
	do 20 ft 49 W 25	32.50	A. W. Oak 20 in. diam.
	Land the same	40.00	gr. Sec. Corner Gum 10 ft 63 N 13
West	Between Secs 18 & 19		Hickory 6 ft 28 E 9
40.00	gr. Sec. Corner Elm 10 ft 81 N 29	87.30	Set post on N. Boundary 125 lbs E. of Corner
	W. Oak 20 ft 18 E 27		Gum 10 ft 41 E 27
67.56	Set post on the N. boundary 41 lbs N. of Corner		W. Oak 8 ft 41 N 25
	W. Oak 20 West 1		Land the same
	Beech 10 ft 10 E 7		Surveyed by Arthur Oliver D. S.
	Land the same		
West	Between Secs 19 & 20		
23.00	A. W. Oak 20 in. diam.		
40.00	gr. Sec. Corner Beech 18 ft 73 E 38		
	Ironwood 6 ft 7 W 14		
42.00	A. Brook 10 lbs S. W		
45.71	Set post on N. Boundary 30 lbs S. of Corner		
	W. Oak 12 ft 2 E 12		
	Beech 18 ft 20 W 4		
	Land the same		
West	Between Secs 30 & 31		
40.00	gr. Sec. Corner Sugar 10 ft 58 E 15		
	do 20 ft 51 E 23		

Township N. 7 North, Range N. 2 East 2<sup>nd</sup> Mer.

Range line - Var.		March 26 <sup>th</sup> 1814	
North	From the Corner of Towns 6 & 7 Ranges 2 & 3 East	North	On the East Side of Sec. 12
3.00	A. Brook 25 lbs East N. 20 E.	1.00	A. Brook 12 lbs S 25 E
40.00	gr. Sec. corner Maple 4 ft 50 W 23	30.00	A. Hickory 9 in. diam.
	W. Oak 20 ft 50 E 20	40.00	A. W. Oak 11 ft 33 N 10
65.50	A. Beech 30 in. diam.		Maple 12 ft 54 E 18
75.50	A. Beech 150 lbs N. W		A. Brook 6 lbs South
80.00	Corner of Secs 25 & 36	80.00	Corner of Secs 1 & 12
	Beech 8 ft 43 E 4		Maple 10 ft 40 E 14
	Hickory 4 ft 83 N 18		Hickory 3 ft 7 W 15
North	On the East Side of Sec. 25		Land & Timber same
34.00	A. B. Oak 25 in. diam.	North	On the East Side of Sec. 1
40.00	gr. Sec. corner Sugar 5 ft 50 E 10	26.00	A. W. Oak 14 in. diam.
	Poplar 3 ft 8 W 12	29.50	A. Brook 12 lbs S. W
44.00	A. Beech 150 lbs N. E	40.00	A. Chestnut Oak 13 ft 5 N 37
47.00	Same 150 lbs N. W		W. Oak 13 ft 20 W 31
69.50	A. B. Oak 16 in. diam.	75.00	A. B. Oak 15 in. diam.
80.00	Corner of Secs 24 & 25	80.00	Corner to Towns 7 & 8 Ranges 2 & 3 East
	W. Oak 14 ft 80 N 12		A. Beech 12 ft 45 E 21
	do 24 ft 23 E 30		do 10 ft 65 W 10
North	On the East Side of Sec. 24		Land & Timber same
9.50	A. W. Oak 14 in. diam.		Township Lines March 25 <sup>th</sup> 1811
40.00	gr. Sec. corner B. Oak 12 ft 38 N 14		Between Towns 6 & 7 Range 2 East
	do 10 ft 80 N 27	West	On the South Side of Sec. 36
60.25	A. Hickory 14 in. diam.	10.00	A. Brook 8 lbs N. E
80.00	Corner of Secs 13 & 24	24.00	A. Brook 3 lbs S. E
	W. Oak 13 ft 20 N 14	26.00	A. Sugar 12 in. diam.
	do 16 ft 4 E 23	40.00	Post W. Oak 16 ft 86 E 43
North	On the East Side of Sec. 13	80.00	Corner to Secs 35 & 36
14.75	A. W. Oak 18 in. diam.		B. Oak 36 ft 15 N 11
40.00	gr. Sec. corner W. Oak 8 ft 10 N 13		do 6 ft 15 N 11
	Mulberry 4 ft 35 E 34	West	On the South Side of Sec. 35
40.50	A. Brook 25 lbs N. W	18.00	A. Brook 40 lbs N. E
80.00	Corner of Secs 12 & 13 W. Oak 18 ft 27 N 36	22.00	Soft Sumac
	Beech 4 ft 27 E 6	30.00	A. Brook 6 lbs S. N
	Land & Timber as above	40.00	Post Beech 18 ft 56 E 32
			Sugar 6 ft 35 N 27
		80.00	Corner to Secs 34 & 35 Gum 30 ft 6 N 34
			No other trees



24 Township N. 6 North, Range N. 1 East 2<sup>nd</sup> Mer.

<p>Range line = var. 7° 30' E.  North Between Ranges 1 &amp; 2 E. Township  6 North; E. boundary of Sec. 36  24.25 a poplar 40 in. diam.  40.00 Set of Sec. post.  Beech 8 S 56 E 8  Sugar 12 N 71 W 11  64.53 a <del>poplar</del> 20 in. diam.  80.00 Set post cor. of Sect. 25 &amp; 36  Beech 12 S 38 E 14  W. Oak 12 N 3 W 16  Good farming land</p>	<p>80.00 Set post cor. of Sect. 12 &amp; 13.  W. Oak 12 S 59 W 4  Sugar 8 S 64 W 14  Land hilly &amp; brushy; thin soil  North on East boundary of Sec. 12  40.00 Set of Sec. post - Sugar 10 N 77 E 28  Beech 10 N 17 E 21  40.00 a brook 20 lbs West  80.00 Set post cor. of Sect. 1 &amp; 12  Hickory - S 50 W 25  Beech 20 N 28 E 13  Land Same</p>
<p>North on East boundary of Sec. 25  28.50 a brook 25 lbs West  40.00 of Sec. cor. Dogwood 6 S 46 E 5  W. Oak 24 N 46 W 14  46.00 a poplar 30 in. diam.  52.00 a brook 12 lbs S.W.  80.00 Set post cor. of Sect. 24 &amp; 25  Beech 12 S 1 E 31  W. Oak 12 N 32 E 20  Land Same</p>	<p>North on East boundary of Sec. 1  40.00 of Sec. post - W. Oak 20 S 22 W 8  Hickory 6 N 22 W 4  80.00 Temporary Town corner  [Line cont. by A. Holmes]  84.00 a brook 50 lbs SW  85.00 Intersected E &amp; W line and set post  corner of Town 6 &amp; 7 N. R. 1 E. 2 E.  Sugar 16 S 32 E 11  Hickory 14 N 14 E 28  Land Same</p>
<p>North on East boundary of Sec. 24  40.00 of Sec. post - Hickory 12 N 80 E 12  Beech 15 N 18 E 22  80.00 Set post cor. of Sect. 13 &amp; 24  B. Oak 8 S 3 E 5  Do 8 S 56 W 6  Land hilly, soil thin; very brushy  with oak.</p>	<p>West on Random between Townships  5 &amp; 6 N Range N. 1 E. - S. bound. Sec. 36  14.00 a brook 12 lbs South  31.50 a brook 10 lbs South  40.00 temporary of Sec. post  80.00 Temporary cor. Sect. 35 &amp; 36  Land rich; Beech &amp;c</p>
<p>North on East boundary of Sect. 13  40.00 of Sec. cor. Elm 10 N 44 W 11  Do 8 N 13 W 11  40.50 a brook 30 lbs SW  52.30 W. Oak 30 in. diam.</p>	<p>West 2<sup>nd</sup> Mile  40.00 Temporary 74 Sec. post  80.00 Temporary cor. Sect. 34 &amp; 35  Land Same</p>

25 T6 N. R. 1 E.

<p>West 3<sup>rd</sup> Mile  40.00 Temporary of Sec. post  77.00 a brook 25 lbs South  80.00 Set temporary cor. of Sect. 33, 34  Land hilly; Beech, Sugar &amp;c  West 4<sup>th</sup> Mile  40.00 Temporary of Sec. post  74.00 a brook 10 lbs South  80.00 Temporary of Sec. post 32 &amp; 33  Land rich, good for farming; timber same</p>	<p>80.00 Set post corner of Sect. 33 &amp; 34  Sugar 10 S 67 E 33  Do 12 N 73 W 19  East on South boundary of Sect. 34  40.00 of Sec. post - Dogwood 6 N 13 W 12  Do 6 N 61 W 18  80.00 Set post cor. of Sect. 34 &amp; 35  Beech 20 S 59 E 20  Do S 81 W 18</p>
<p>West 5<sup>th</sup> Mile  40.00 Temporary of Sec. post  80.00 Temporary Sec. post 31 &amp; 32  Land Same  West 6<sup>th</sup> Mile  40.00 Temporary of Sec. post  83.00 a brook 18 lbs SW  86.12 Intersected Range line or Mer.  — South of town corner  Good farming land - Ash, Poplar &amp;c</p>	<p>East on South boundary of Sec. 35  40.00 of Sec. post - Poplar 8 N 45 E 15  Beech 8 N 64 W 19  80.00 Set post cor. of Sect. 35 &amp; 36  Sugar 12 S 72 E 42  Beech 20 N 82 W 33  East on South boundary of Sec. 36  40.00 of Sec. cor. Sugar 12 N 43 E 13  Beech 24 S 24 W 29  80.00 Town Corner.</p>
<p>East True line between Towns  5 &amp; 6 N Range 1 E - Sec. 31  46.12 of Sec. cor. - Sugar 12 N 58 E 40  Elm 12 S 2 E 16  86.12 Set post cor. of Sect. 31 &amp; 32  Sugar 10 N 45 E 6  Do 9 N 54 W 9  East on South boundary of Sec. 32  40.00 of Sec. cor. Ash 18 N 88 E 22  Do 20 N 74 W 12  80.00 Set post cor. of Sect. 32 &amp; 33  Beech 8 S 82 E 26  Do 12 N 46 W 24  East on South boundary of Sec. 33  40.00 of Sec. corner Beech 8 N 72 E 31  Do 6 S 26 W 7</p>	<p>Subdivision.  North Between Sect. 35 &amp; 36  4.50 a Beech 20 in. diam.  40.00 of Sec. cor. Beech 20 S 53 E 6  Dogwood 8 N 18 W 6  80.00 Set post cor. of Sect. 25, 26, 35, 36  Beech 6 N 58 E 9  Do 6 N 60 W 17  Land rolling; Poplar, Beech, Sugar  East on Random between Sect. 25 &amp; 36  40.00 Temporary of Sec. post  80.00 Intersected Range line 12 lbs South  Land Same  West Corrected on true line  40.00 of Sec. cor. Beech 6 N 85 E 5  Ironwood - S 85 W 12  80.00 Sec. corner</p>





**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.


Trohn Enright-Randolph  
Monroe County Surveyor



**T6N**

**R2E**





Township N. VI North of the Base Line, Range N. II East of the 2<sup>nd</sup> Meridian — Surveyed by Arthur Henrie. 1854.

Description of the Soil on the interior Sectional lines.



# Township N. 6 North, Range N. 2 East 2<sup>nd</sup> Mer.

## Range line - Var. 7.00' E.

North Between Ranges 2 & 3 Township 6 East

On the East Side of Sec. 36

7.20 A. Brook 20 in. diam.

16.40 A. Brook 10 lbs West

40.00 gr. Sec. corner Sugar 12 St 61 N 22

Ironwood 6 St 41 E 21

49.30 A. Sugar 20 in. diam.

46.00 A. Brook 8 lbs West

80.00 Set post corner of Sec. 25 & 36

Beech 15 St 11 N 32

do 15 St 24 N 12

Land Rolling. Beech Sugar & Poplar

North On the East Side of Sec. 25

30.50 A. Brook 12 lbs West

40.00 gr. Sec. corner Beech 10 St 38 E 13

Dogwood 5 St 6 N 20

80.00 Set post corner to Sec. 24 & 25

Beech 15 St 9 N 20

do 15 St 40 N 12

Good farming land. Timber same

North On the East Side of Sec. 24

40.00 gr. Sec. corner Beech 12 St 1 E 41

Dogwood 6 St 58 N 13

80.00 Set post corner to Sec. 13 & 24

St. Ash 6 St 28 N 2

Dogwood 6 St 8 E 2

Land Rolling. Oak & Hickory

North On the East Side of Sec. 13

37.00 A. Brook 10 lbs St E

40.00 gr. Sec. corner Sugar 10 St 25 N 48

do 6 St 63 E 32

80.00 Set post corner to Sec. 12 & 13

Yune 12 St 9 E 32

B. Oak 8 St 9 N 34

very high hills. Soil thin. Oak & Hickory

North On the East Side of Sec. 12

40.00 gr. Sec. corner B. Oak 6 St 41 E 21

do 8 St 23 E 10

80.00 Set post corner to Sec. 1 & 12

Sugar 12 St 4 N 30

Beech 10 St 66 E 11

Land the same

North On the East Side of Sec. 1

16.60 A. Brook 18 lbs St E

40.00 gr. Sec. corner Hickory 10 St 1 E 37

80.00 Set temporary post at the exact distance

of 6 mile from the South Boundary

86.00 Intersected E & W line and set post

corner of Towns 6 & 7 N Range

2 & 3 E. Beech 16 St 13 W 26

W. Oak 16 St 53 W 51

Very hilly & brushy land, thin soil

Arthur Maurice D.S.

## Township line - Var. 6.20 Random.

West Between Towns 5 & 6 Range 2 East

40.00 Temporary gr. Sec. post

80.00 Set temporary mile post

Land Rolling. Beech. Poplar & Sugar

West Random line continued

40.00 Temporary gr. Sec. post

65.00 A. Brook 20 lbs St N

80.00 Set temporary mile post

Land hilly & brushy. timber same

West Random line continued

12.00 A. Brook 25 lbs St W

37.50 Same St W

40.00 Temporary gr. Sec. post

66.30 A. Brook 12 lbs at the bottom of which is long stone

80.00 Temporary mile post

Land the same

West Random line continued

40.00 Temporary gr. Sec. post

80.00 Temporary mile post

Land good for farming. Beech. Sugar. Oak & Sugar

West Random line continued

40.00 Temporary gr. Sec. post

80.00 Temporary mile post

Land the same

West Random line continued

26.00 A. Brook 12 lbs South

40.00 Temporary gr. Sec. post

43.54 Set South of Town corner

Land Rich. timber Sugar. Beech & Sugar

True line var. 6.20

East Between Towns 5 & 6 Range 2 East on true line

43.54 gr. Sec. corner Beech 8 St 39 N 6

do 8 St 67 N 36

43.59 Set post corner to Sec. 31 & 32

Ironwood 6 St 53 E 13

Dogwood 8 St 44 N 5

East True line continued

40.00 gr. Sec. corner Sugar 8 St 30 E 24

Beech 12 St 7 N 8

80.00 Set post corner to Sec. 32 & 33

Beech 12 St 41 E 27

do 12 St 11 E 7

East True line continued

40.00 gr. Sec. corner W. Walnut 10 St 2 E 7

Sugar 20 St 39 E 19

80.00 Set post corner of Sec. 34 & 35

Beech 20 St 59 E 14

do 11 St 18 N 27

East True line line continued

40.00 gr. Sec. corner Beech 12 St 28 N 12

do - St 4 N 34

80.00 Set post corner to Sec. 35 & 36

Dogwood 6 St 12 N 21

Ironwood 6 St 30 N 20

East True line continued

40.00 gr. Sec. corner Beech 10 St 11 N 20

do 10 St 2 E 32

80.00 Town corner

Arthur Maurice D.S.

Subdivisions of Town 6 St. N. 2 East

North Between Sec. 35 & 36

26.50 A. Brook 10 lbs West

40.00 gr. Sec. corner Sugar 20 St 4 N 17

Beech 18 St 60 E 6

80.00 Set post corner to Sec. 25, 26, 35 & 36

Beech 20 St 6 N 33

Dogwood 6 St 77 E 3

Land Rich & Rolling. Sugar. Beech & Ash

East Between Sec. 25 & 36 On Random

40.00 Temporary gr. Sec. post

80.10 Intersected St & S line 12 lbs S of corner

Land the same

West Corrected

40.05 gr. Sec. corner Beech 12 St 47 N 16

do 24 St 50 E 27

80.10 Town corner

North Between Sec. 25 & 26

1.50 A. Brook 15 lbs West

19.00 A. Brook 20 lbs St N

40.00 gr. Sec. corner Beech 10 St 10 E 16

Sugar 20 St 23 N 11

80.00 Set post corner to Sec. 23, 24, 25, 26

Beech 10 St 46 E 5

do 24 St 55 N 10

Land the same



East Between Secs 24 & 25 On Random  
40.00 Temporary gr. Sec. post  
80.04 Intersected N & S line 12 lks N. of corner  
Land Rich & Rolling Sugar Beech Ash

West Corrected  
40.02 gr. Sec. corner Sugar 12 S 20 E 5  
Beech 10 S 20 W 40

80.04 Section corner

North Between Secs 23 & 24

34.30 N. Oak 20 in. diam.  
40.00 gr. Sec. corner Beech 20 S 65 W 12  
Dogwood 6 S 30 E 12

80.00 Set post corner to Secs 14, 15, 23, 24  
Beech 10 S 6 E 33  
do 6 S 27 W 10

Land level Timber the same

East Between Secs 13 & 24 On Random  
40.00 Temporary gr. Sec. post  
79.88 Intersected N & S line 14 lks N. of corner  
Land the same

West Corrected  
39.94 gr. Sec. corner Maple 10 S 15 W 6  
Beech 8 S 23 W 5

79.88 Section corner

North Between Secs 13 & 14  
40.00 gr. Sec. corner Maple 10 S 19 W 6  
Beech 10 S 36 W 30

56.00 A. Beech 5 lks N. E  
80.00 Set post corner to Secs 11, 12, 13, 14  
B. Oak 10 S 9 W 30  
Hickory 6 S 4 E 42

Land very Hilly thin Soil

East Between Secs 12 & 13 On Random  
40.00 Temporary gr. Sec. post  
79.98 Intersected N & S line 10 lks S. of corner  
Land the same

West Corrected Between Secs 12 & 13 on true line  
39.99 gr. Sec. corner Maple 12 West 50  
No other tree

79.98 Section corner

North Between Secs 11 & 12

40.00 gr. Sec. corner B. Oak 10 S 37 W 20  
Hickory 8 S 55 E 5

80.00 Set post corner to Secs 1, 2, 11, 12  
B. Oak 12 S 36 E 15  
do 6 S 36 W 12

Land very Hilly Timber same Under growth Oak Hickory  
March 21<sup>st</sup> 1814

North Between Secs 34 & 35

40.00 gr. Sec. corner Sassafras 10 S 86 W 5  
do 10 S 75 E 12

45.00 A. Beech 8 lks S. W  
80.00 Set post corner to Secs 26, 27, 34, 35

Beech 12 S 40 W 14  
do 12 S 28 E 20

Land Rolling Beech Oak Hickory

East Between Secs 26 & 35 On Random  
40.00 Temporary gr. Sec. post  
75.00 A. Beech 12 lks S. W

80.12 Intersected N & S line 8 lks S. of corner  
Land the same

West Corrected  
40.06 gr. Sec. corner Beech 8 West 1  
No other tree

80.12 Section corner  
North Between Secs 26 & 27  
40.00 gr. Sec. corner Beech 10 S 28 W 14  
do 20 S 30 E 25

80.00 Set post corner to Secs 22, 23, 26, 27  
Maple 16 S 18 W 14  
Poplar 40 S 25 E 25  
Land the same

East Between Secs 23 & 26 On Random  
20.00 A. Beech 12 lks S. W  
40.00 Temporary gr. Sec. post  
79.92 Intersected N & S line 18 lks S. of corner  
Land the same

West Corrected  
39.96 gr. Sec. corner Beech 20 East 10  
No other tree

79.92 Section corner

North Between Secs 22 & 23

40.00 gr. Sec. corner Beech 6 S 20 W 30  
do 10 S 42 E 28

40.00 A. Beech 12 lks S. W  
79.00 A. Beech 10 lks S. W  
80.00 Set post corner to Secs 14, 15, 22, 23

Dogwood 6 S 21 W 22  
Beech 20 S 44 W 21

Land Rolling Beech Poplar

East Between Secs 14 & 23 On Random  
40.00 Temporary gr. Sec. post  
80.00 Intersected N & S line 8 lks S. of corner  
Land the same

West Corrected  
40.04 gr. Sec. corner Beech 10 S 65 W 7  
do 20 S 65 E 5

80.08 Section corner  
North Between Secs 14 & 15  
40.00 gr. Sec. corner Sugar 10 S 42 W 8  
do 10 S 50 E 30

80.00 Set post corner to Secs 10, 11, 14, 15  
Beech 10 S 71 E 5  
do 10 S 8 E 30

Land very Hilly & very Brushy

East Between Secs 11 & 14 On Random  
40.00 Temporary gr. Sec. post  
80.08 Intersected N & S line 10 lks S. of corner  
Land the same

West Corrected  
40.04 gr. Sec. corner N. Oak 15 S 84 E 28  
Beech 12 S 61 W 25

80.08 Section corner

North Between Secs 10 & 11

40.00 gr. Sec. corner Dogwood 6 S 50 W 12  
Promocorb 6 S 87 E 20

80.00 Set post corner to Secs 2, 3, 10, 11  
Beech 8 S 14 W 18  
do 8 S 50 W 10

Land very Hilly thin Soil

East Between Secs 2 & 11 On Random  
40.00 Temporary gr. Sec. post  
80.06 Intersected N & S line 14 lks N. of corner  
Land the same

West Corrected  
40.03 gr. Sec. corner Beech 10 S 73 W 24  
N. Oak 20 S 63 E 25

80.06 Section corner  
North Between Secs 2 & 3  
31.00 A. Beech 10 lks N. E

40.00 gr. Sec. corner Beech 10 S 78 W 16  
N. Oak 12 S 87 W 16

62.50 A. Beech 12 lks N. E  
87.50 Set post cor. to Secs 2 & 3 on North Boundary  
2.25 lks East of Sec. corner  
Beech 20 S 54 E 12  
do 20 S 28 E 15

Land Hilly thin Soil  
March 22<sup>nd</sup> 1814



North Between Secs 33 & 34  
 17.00 H. Brook 10 lks S. E  
 40.00 gr. Sec. corner Beech 10 S 34 N 27  
 do 10 S 68 E 31  
 80.00 Set post corner of Secs 27, 28, 33, 34  
 Beech 20 S 15 E 45  
 do 10 S 1 N 28  
 Land Rolling, Oak, Beech, Poplar & Hickory  
 East Between Secs 27 & 34 On Random  
 40.00 Temporary gr. Sec. post  
 52.50 H. Brook 40 lks S. W  
 80.08 Intersected St & S line 18 lks S. of corner  
 Land the same  
 West Corrected  
 40.04 gr. Sec. corner Beech 20 S 83 W 47  
 do 12 S 56 E 20  
 80.08 Section corner  
 North Between Secs 27 & 28  
 12.00 H. Brook 20 in. diam.  
 40.00 gr. Sec. corner Beech 10 S 45 W 11  
 do 10 S 69 E 16  
 80.00 Set post corner to Secs 21, 22, 27, 28  
 Sugar 8 S 4 W 17  
 Beech 12 S 3 W 25  
 Land the same  
 East Between Secs 22 & 27 On Random  
 40.00 Temporary gr. Sec. corner  
 55.00 H. Brook 12 lks S. W  
 80.10 Intersected St & S line 10 lks S. of corner  
 Land the same  
 West Corrected  
 40.05 gr. Sec. corner Beech 6 S 39 E 4  
 do 6 S 49 W 19  
 80.10 Section corner

North Between Secs 21 & 22  
 5.00 H. Brook 12 lks S. E at three forks  
 40.00 gr. Sec. corner B. Oak 20 S 10 E 38  
 Dogwood 6 S 45 E 10  
 80.00 Set post corner to Secs 15, 16, 21, 22  
 Dogwood 6 S 4 E 2  
 Beech 20 S 28 E 34  
 Land the same  
 East Between Secs 15 & 22 On Random  
 40.00 Temporary gr. Sec. post  
 79.94 Intersected St & S line 12 lks S. of corner  
 Land the same  
 West Corrected  
 39.97 gr. Sec. corner B. Oak 20 S 4 E 16  
 Beech 6 S 15 E 7  
 79.94 Section corner  
 North Between Secs 15 & 16  
 3.20 H. W. Oak 20 in. diam.  
 5.00 H. Brook 10 lks S. W  
 12.00 H. Brook 12 lks S. W  
 40.00 gr. Sec. corner W. Oak 6 S 29 W 6  
 Sassafras 6 S 62 E 9  
 53.60 H. W. Oak 20 in. diam.  
 80.00 Set post corner to Secs 9, 10, 15, 16  
 W. Oak 12 S 20 W 34  
 Gum 10 S 12 E 25  
 Land very Willy thin Soil  
 East Between Secs 10 & 15 On Random  
 40.00 Temporary gr. Sec. post  
 80.06 Intersected St & S line 12 lks S. of corner  
 Land the same thin Soil Oak & Hickory  
 West Corrected  
 40.03 gr. Sec. corner B. Oak 6 West 6  
 Beech 5 S 5 W 4  
 80.06 Section corner

North Between Secs 9 & 10  
 40.00 gr. Sec. corner B. Oak 20 S 3 W 24  
 W. Oak 12 S 42 E 22  
 52.00 H. Brook 10 lks S. W  
 80.00 Set post corner to Secs 3, 4, 9, 10  
 B. Oak 10 S 35 W 16  
 Gum 12 S 62 E 21  
 Land the same  
 East Between Secs 3 & 10 On Random  
 40.00 Temporary gr. Sec. post  
 79.96 Intersected St & S line 12 lks S. of corner  
 Land the same  
 West Corrected  
 39.98 gr. Sec. corner W. Oak 20 S 82 E 26  
 do 20 S 85 W 17  
 79.96 Section corner  
 North Between Secs 3 & 4  
 40.00 gr. Sec. corner B. Oak 12 S 30 E 15  
 do 10 S 65 W 9  
 88.50 Set post on St. Boundary 3.25 lks E. of corner  
 W. Oak 20 S 30 E 20  
 B. Oak 6 S 88 W 32  
 Land the same March 28, 1814  
 North Between Secs 32 & 33  
 40.00 Set gr. Sec. corner Hickory 10 S 56 W 11  
 Sugar 6 S 5 W 5  
 80.00 Set post corner to Secs 28, 29, 32, 33  
 Beech 2 S 87 W 25  
 do 6 S 85 E 11  
 Land Rich, Timber Beech & P.  
 East Between Secs 28 & 33 On Random  
 40.00 Temporary gr. Sec. post  
 79.89 Intersected St & S line 14 lks S. of corner  
 Land Rich, Oak, Beech, Poplar & P.

West Corrected Between Secs 28 & 33  
 39.94 gr. Sec. corner Beech 12 S 10 W 8  
 do 30 S 58 E 25  
 79.89 Section corner  
 North Between Secs 28 & 29  
 40.04 gr. Sec. corner Poplar 12 S 43 W 7  
 Sugar 10 S 50 E 25  
 80.02 Set post corner to Secs 20, 21, 28, 29  
 Beech 6 S 13 W 9  
 do 20 East 17  
 Land Rich, Oak, Beech, Poplar & P.  
 East Between Secs 21 & 28 On Random  
 40.02 Temporary gr. Sec. post  
 80.10 Intersected St & S line 30 lks S. of post  
 Land Willy, Timber Beech, Oak & Hickory  
 West Corrected  
 40.05 gr. Sec. corner W. Oak 20 West 50  
 W. Oak 10 E 10  
 80.10 Section corner  
 North Between Secs 20 & 21  
 40.00 gr. Sec. corner Beech 8 S 8 E 38  
 do 18 S 30 E 9  
 80.00 Set post corner to Secs 16, 17, 20, 21  
 W. Oak 24 S 10 E 16  
 do 10 S 29 W 15  
 Land Willy, Timber Oak & Hickory  
 East Between Secs 16 & 21 On Random  
 40.00 Temporary gr. Sec. post  
 80.04 Intersected St & S line 18 lks S. of corner  
 Land the same  
 West Corrected  
 40.00 gr. Sec. corner W. Oak 20 S 47 W 10  
 Beech 8 S 60 E 5  
 80.00 Section corner



North Between Sec<sup>s</sup> 16 & 17

39.00 A. Brook 10 lks S. W

40.00 gr. Sec. corner Beech 18 N 50 W 3  
do 12 S 63 W 26

43.00 A. Brook 12 lks S. W

80.00 Set post corner to Sec<sup>s</sup> 8, 9, 16, 17

Beech 6 N 6 W 39

Hickory 12 S 29 E 10

Land Very Hilly thin soil. Oak &amp; Hickory

East Between Sec<sup>s</sup> 7 & 16 On Randon

40.00 Temporary gr. Sec. post

80.00 Intersected N &amp; S line 12 lks N of corner

Land the Same

West Corrected

40.00 gr. Sec. corner N. Oak 6 N 49 W 9

do 6 S 12 E 11

80.00 Section corner

North Between Sec<sup>s</sup> 8 & 9

15.00 A. Brook 12 lks West

40.00 gr. Sec. corner N. Oak 20 N 31 W 26

Hickory 6 N 24 E 13

80.00 Set post corner of Sec<sup>s</sup> 4, 5, 8, 9

B. Oak 10 N 46 E 18

N. Walnut 6 N 20 W 30

Land the Same

East Between Sec<sup>s</sup> 4 & 9 On Randon

27.00 A. Brook 12 lks S. W

40.00 Temporary gr. Sec. post

80.50 Intersected N &amp; S line 18 lks N. of corner

Land the Same

West Corrected

40.25 gr. Sec. corner N. Oak 20 N 58 W 25

Gum 12 N 28 E 10

80.50 Section corner

North Between Sec<sup>s</sup> 4 & 5

40.00 gr. Sec. corner Beech 10 N 15 W 20

N. Oak 8 S 20 E 9

85.00 Set post corner of Sec<sup>s</sup> 4 & 5 on the North

Boundary 450 lks East of corner

N. Oak 12 N 50 E 41

do 20 S 45 E 50

Land the Same - March 24<sup>th</sup> 1814North Between Sec<sup>s</sup> 31 & 32

13.50 A. Brook 8 lks S. W

22.20 A. Brook 20 ind. diam.

40.00 gr. Sec. corner Sugar 5 East 23

do 20 S 60 W 5

80.00 Set post corner of Sec<sup>s</sup> 27, 30, 31, 32

Poplar 40 S 18 E 22

N. Oak 30 S 84 W 24

Land Rolling. Beech, Poplar, Sugar &amp;c

East Between Sec<sup>s</sup> 29 & 32 On Randon

40.00 Temporary gr. Sec. post

77.88 Intersected N &amp; S line at Section corner

Land the Same

West Corrected

39.94 gr. Sec. corner Sugar 10 West 22

Beech 6 N 60 W 11

77.88 Section corner

North Between Sec<sup>s</sup> 29 & 30

40.00 gr. Sec. corner Maple 12 S 16 E 11

Beech 10 S 88 E 18

48.50 A. Brook 18 lks S. W

80.00 Set post corner to Sec<sup>s</sup> 19, 20, 29, 30

Beech 20 S 18 W 34

do 12 N 54 W 34

Land the Same

East Between Sec<sup>s</sup> 20 & 29 On Randon

20.00 A. Brook 10 lks S. W

40.00 Temporary gr. Sec. post

80.00 Intersected N &amp; S line 12 lks S. of corner

Land the Same

West Corrected

40.00 gr. Sec. corner Beech 6 corner tree

No other tree

80.00 Section corner

North Between Sec<sup>s</sup> 19 & 20

40.00 gr. Sec. corner N. Oak 10 S 12 E 29

Dogwood 6 N 43 E 8

80.00 Set post corner to Sec<sup>s</sup> 17, 18, 19, 20

Sugar 12 N 33 W 12

N. Walnut 8 S 60 W 8

Land Very Hilly &amp; brashy, Oak &amp; Hickory

East Between Sec<sup>s</sup> 17 & 20 On Randon

40.00 Temporary gr. Sec. post

50.00 A. Brook 12 lks North

80.00 Intersected N &amp; S line 15 lks S. of post

Land the Same

West Corrected

40.10 gr. Sec. corner Red Bud 8 N 59 W 37

N. Walnut 8 N 15 W 26

80.00 Section corner

North Between Sec<sup>s</sup> 17 & 18

17.75 A. Brook 40 lks West

40.00 gr. Sec. corner Beech 10 S 3 E 18

do 18 S 7 E 11

80.00 Set post corner of Sec<sup>s</sup> 7, 8, 17, 18

Hickory 7 South 7

N. Oak 6 N 34 W 10

Land the Same

East Between Sec<sup>s</sup> 8 & 17 On Randon

40.00 Temporary gr. Sec. post

67.00 A. Brook 10 lks S. W

80.10 Intersected N &amp; S line 6 lks N. of corner

Land the Same

West Corrected

40.05 gr. Sec. corner Elm 10 S 19 W 8

Beech 8 N 45 W 16

80.10 Section corner

North Between Sec<sup>s</sup> 7 & 8

40.00 gr. Sec. corner Hickory 20 S 20 E 29

Beech 10 N 18 W 31

40.50 A. Brook 12 lks S. W

80.00 Set post corner of Sec<sup>s</sup> 5, 6, 7, 8

Gum 12 S 6 E 50

N. Oak 12 N 30 W 21

Land the Same

East Between Sec<sup>s</sup> 5 & 8 On Randon

36.00 A. Brook 8 lks S. W

40.00 Temporary gr. Sec. post

78.98 Intersected N &amp; S line 30 lks N. of corner

Land the Same, wooded with green birch

West Corrected

39.99 gr. Sec. corner Beech 12 East 100

do 8 N 58 E 50

78.98 Section corner

North Between Sec<sup>s</sup> 5 & 6

12.00 A. Brook 12 lks S. W

40.00 gr. Sec. corner N. Oak 18 S 7 E 29

do 20 N 43 E 29

83.00 Set post on the N. Boundary 7.22 lks

East of Sec. corner

N. Oak 12 S 52 E 5

B. Oak 10 S 54 W 21

Land very Hilly covered with green birch

March 25<sup>th</sup> 1814



West	Between Sec. 5 & 6		64.85	Set post on N. Boundary 25 lks S. of Corner	
8.00	A. Brook 12 lks S. W			Beech 20 N 34 E 16	
40.00	gr. Sec. Corner	Hickory 6 N 38 E 13		do 10 S 57 W 16	
		W. Oak 18 N 62 W 34		Land Rolling. Oak. Beech. Sugar P.	
68.50	A. Brook 10 lks S. W			March 26 <sup>th</sup> 1814	
70.50	Set post on the West Boundary 158 lks		East	Between Sec. 10 & 12 on Boundary	
	North of Corner	W. Oak 10 N 55 E 12	40.00	Temporary gr. Sec. post	
		B. Oak 10 S 6 W 16	77.84	Intersected N. W. line 20 lks N. of Corner	
	Land Hilly & very brushy covered with Briars			Land the same very Hilly	
West	Between Sec. 5 & 7		West	Corrected	
15.00	A. Brook 10 lks South		39.72	gr. Sec. Corner	B. Oak 6 West 22
40.00	gr. Sec. Corner	Hickory 12 N 81 E 25		do 20 S 83 E 26	
		W. Oak 12 S 41 W 27	77.84	Section Corner	
68.70	Set post on the West Boundary 62 lks		North	Between Sec. 10 & 2	
	North of Sec. Corner	W. Oak 20 N 71 E 32	7.00	A. Brook 10 lks. N. E	
		do 20 S 49 W 25	32.50	A. W. Oak 20 in. diam.	
	Land the same		40.00	gr. Sec. Corner	Quinn 10 N 63 W 13
West	Between Sec. 18 & 19			Hickory 6 S 28 E 7	
40.00	gr. Sec. Corner	Elm 10 N 81 W 29	87.30	Set post on N. Boundary 125 lks E. of Corner	
		W. Ash 20 S 18 E 27		Quinn 10 S 41 E 27	
67.56	Set post on the N. boundary 41 lks N. of Corner			W. Oak 8 S 41 W 25	
		W. Oak 20 West 1		Land the same	
		Beech 10 N 10 E 17		Surveyed by Arthur Durie D. S.	
	Land the same				
West	Between Sec. 19 & 30				
23.00	A. W. Oak 20 in. diam.				
40.00	gr. Sec. Corner	Beech 18 S 73 E 38			
		Ironwood 6 S 17 W 14			
42.00	A. Brook 10 lks S. W				
65.71	Set post on N. Boundary 30 lks S. of Corner				
		W. Oak 12 N 72 E 12			
		Beech 18 N 20 W 4			
	Land the same				
West	Between Sec. 30 & 31				
40.00	gr. Sec. Corner	Sugar 10 S 58 E 15			
		do 20 N 51 E 23			